

HARRIS®

2X All Purpose Spray Paint Flat

Basic Uses: interior/exterior surfaces

SPRAY PAINT



TECHNICAL DATA

VISCOSITY: 15-20 seconds (Ford cup #4)
 FLASH POINT: Less than 156°F
 WEIGHT/GALLON: 8.80 ± 0.5 lbs/gal (white)
 varies by color
 SOLIDS (WEIGHT) 38.85%
 SOLIDS (VOLUME): 24.10%
 GLOSS: Max. of 5% @ 60°
 THICKNESS: 1.05 mils. (calculated)
 DRYING TIME: 20 min. max.

SIZES

11 ounces can

FINISH

Flat

COLOR

black, white

DESCRIPTION

Harris Flat Spray Paint is quick drying interior/exterior enamel that gives surfaces a dull flat finish. Use in numerous applications in the home and industry. Use it on wood and metal.

APPLICATION

SURFACE PREPARATION: Thoroughly clean all grease, oil, dirt, wax and rust scale from surface before painting.

NEW METAL SURFACES: New or rusted areas should be primed with Aerosol Primer before painting.

PREVIOUSLY PAINTED SURFACES: Make sure surface is free of dirt, grease, wax and rust scale from surface before painting. Use drop cloth or newspapers to protect surrounding areas from spray mist. Surface temperature must be above 65° F from painting. Do not paint in high winds or excessively high humidity.

SURFACES IN GOOD CONDITIONS: Spray directly on bare areas. Primers are not necessary.

SURFACES IN POOR CONDITIONS: Remove all rust and peeled or blistered paint to restore back to sound surface. Primed all surfaces with Spray Primer,

allow 30 min. to dry.

APPLICATION: Shake can until agitator ball begins to rattle and continue to shake for one min. after. Occasionally shake during use. Hold can 12 to 16 inches from surface to be sprayed and apply several thin coats rather than one heavy coat. Recoat after one hour.

CAUTIONS

EXTREMELY FLAMMABLE. KEEP OUT OF REACH OF CHILDREN.

Vapors may ignite explosively. Prevents buildup vapor. Keep from heat, sparks, flames or other heat sources. Do not smoke. To avoid breathing vapors or spray mist, open windows and doors or use other means to ensure fresh air entry during application and drying. If you experience eye watering, headaches or dizziness, increase fresh air or wear respiratory protection or leave the area.